

Company: Joyoung International Trading Co., Limited  
 Attn : Smiling  
 Mobile/WhatsApp/Wechat: +86 18050035902  
 Email: info@htechplc.com  
 Website: <https://www.joyoungintl.com/>




---

 PRODUCT-DETAILS

## 3BSE008544R1

### AI820 Analog Input 4 ch




---

**General Information**

Product ID	3BSE008544R1
ABB Type Designation	AI820
Catalog Description	AI820 Analog Input 4 ch
Long Description	+20mA, 0(4)...20mA, +-10V, +-5V, 0(1)...5V, diff., 50V CMV., Rin(curr) 250 Ohms, 14bit + sign. Individually galvanic isolated channels. Use Module Termination Unit TU810, TU812, TU814, TU830, TU833.

---

**Additional Information**

Medium Description	+20mA, 0(4)...20mA, +-10V, +-5V, 0(1)...5V, diff., 50V CMV., Rin(curr) 250 Ohms, 14bit + sign. Individually galvanic isolated channels. Use Module Termination Unit TU810, TU812, TU814, TU830, TU833.
Product Type	I-O_Module
Technical Information	+20mA, 0(4)...20mA, +-10V, +-5V, 0(1)...5V, diff., 50V CMV., Rin(curr) 250 Ohms, 14bit + sign. Individually galvanic isolated channels. Use Module Termination Unit TU810, TU812, TU814, TU830, TU833.

---

**Ordering**

HS Code

853890 -- ELECTRICAL MACHINERY AND EQUIPMENT AND PARTS  
 THEREOF; SOUND RECORDERS AND REPRODUCERS, TELEVISION IMAGE  
 AND SOUND RECORDERS AND REPRODUCERS, AND PARTS AND  
 ACCESSORIES OF SUCH ARTICLES;Parts suitable for use solely or  
 principally with the apparatus of heading|8535, 8536|or 8537;Other

Customs Tariff Number

85389099

---

### Dimensions

Product Net Depth / Length	102 mm
Product Net Height	119 mm
Product Net Width	45 mm
Product Net Weight	0.3 kg

---

### Technical

Channel Type	AI
Number of Input Channels	4
Number of Output Channels	0

---

### Environmental

RoHS Information	Following EU Directive 2011/65/EU
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
Number of Batteries	0
SCIP	f5d96b38-7473-417c-b99c-5e9db17bb24d Estonia

---

### Categories

---

- Control System Products → I/O Products → S800 I/O → S800 I/O - Modules → AI820 Analog Inputs → AI820 Analog Input
- Control Systems → 800xA → I/Os → S800 I/O → S800 I/O 4.0 → I/O Modules
- Control Systems → 800xA → I/Os → S800 I/O → S800 I/O 4.1 → I/O Modules
- Control Systems → 800xA → I/Os → S800 I/O → S800 I/O 5.0 → I/O Modules
- Control Systems → 800xA → I/Os → S800 I/O → S800 I/O 5.1 → I/O Modules
- Control Systems → 800xA → System → 800xA System → 800xA 6.0 System → I/O Modules
- Control Systems → Advant OCS with Master SW → I/Os → S800 I/O → I/O Modules
- Control Systems → Advant OCS with Master SW → System → Advant OCS with Master SW → Advant Fieldbus 100 → I/O Modules
- Control Systems → Advant OCS with MOD 300 SW → I/Os → S800 I/O → I/O Modules
- Control Systems → Compact Product Suite → I/Os → S800 I/O → S800 I/O 4.1 → I/O Modules
- Control Systems → Compact Product Suite → I/Os → S800 I/O → S800 I/O 5.0 → I/O Modules
- Control Systems → Compact Product Suite → I/Os → S800 I/O → S800 I/O 5.1 → I/O Modules
- Control Systems → 800xA → I/Os → S800 I/O → S800 I/O 4.1 → I/O Modules
- Control Systems → 800xA → I/Os → S800 I/O → S800 I/O 5.0 → I/O Modules
- Control Systems → 800xA → I/Os → S800 I/O → S800 I/O 5.1 → I/O Modules
- Control Systems → Compact Product Suite → I/Os → S800 I/O → S800 I/O 4.1 → I/O Modules
- Control Systems → Compact Product Suite → I/Os → S800 I/O → S800 I/O 5.0 → I/O Modules
- Control Systems → Compact Product Suite → I/Os → S800 I/O → S800 I/O 5.1 → I/O Modules

